

# Pacojet Cleaning Tab

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Pacojet Cleaning Tab

**UFI code**

UTPU-09GX-847H-NP92

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**

Cleaning tab ; Professional user

**Not suitable for use in**

All other uses are discouraged.

### 1.3. Details of the supplier of the safety data sheet

**Supplier**

Pacojet Europe GmbH

Street address

Am Alkenrain 13

79761 Waldshut-Tiengen

Germany

Email

info@pacojet.com

Web site

<https://pacojet.com/>

### 1.4. Emergency telephone number

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 6132 844 63

**Available outside office hours**

Yes

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

*Classification according to Regulation (EC) No 1272/2008*

**Classification**

Skin corrosion, hazard category 1A



# Pacojet Cleaning Tab

## Hazard statements

H314

## 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

## Hazard pictograms



## Signal word

Danger

## Hazard statements

H314 Causes severe skin burns and eye damage.

## Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to an authorised waste collection point.

## More information

Hazardous components which must be listed on the label : sodium hydroxide

## 2.3. Other hazards

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.



# Pacojet Cleaning Tab

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
sodium hydroxide	1310-73-2 215-185-5 01-2119457892- 27-xxxx 011-002-00-6	40 - 60%	Skin Corr. 1A	H314 - -	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %;
sodium carbonate	497-19-8 207-838-8 01-2119485498- 19-xxxx 011-005-00-2	5 - 15%	Eye Irrit. 2	H319 - -	-
Silicic acid, sodium salt	1344-09-8 215-687-4 01-2119448725- 31-xxxx -	1 - 5%	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3 - resp. tract irrit.	H315, H319, H335 - -	-

#### **Substance additional information**

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### **Description of first aid measures**

If symptoms persist, call a physician.

#### **Inhalation**

Not applicable.

#### **Skin contact**

In case of contact, immediately flush skin with plenty of water.



# Pacojet Cleaning Tab

## **Eye contact**

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

## **Ingestion**

Clean mouth with water and drink afterwards plenty of water.

## **Information for doctors**

Treat symptomatically.

## **Information to rescue personnel**

First responders: Pay attention to self-protection.

## **4.2. Most important symptoms and effects, both acute and delayed**

Immediate effects can be expected after long-term exposure.

## **Inhalation**

Not applicable.

## **Skin contact**

Causes severe skin burns.

## **Eye contact**

Causes severe eye burns. May cause irreversible eye damage.

## **Ingestion**

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

## **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Water spray, dry powder, foam, carbon dioxide (CO<sub>2</sub>). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

Water jet. Do not use a water jet to prevent the scattering of flammable material.

### **5.2. Special hazards arising from the substance or mixture**

Corrosive. Hazardous decomposition products formed under fire conditions.



# Pacojet Cleaning Tab

## 5.3. Advice for firefighters

### **Special protective equipment for fire-fighters**

Wear self contained breathing apparatus for fire fighting if necessary.

### **Measures in case of fire**

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Avoid direct contact with the material / product.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Dispose of as hazardous waste in compliance with local and national regulations.

### 6.4. Reference to other sections

For information on storage and handling see section 7.

For information on exposure and personal protective equipment, see Section 8.

For information on incompatible materials, see Section 10.

For information on disposal see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### **Preventive handling precautions**

Wear personal protective equipment. Avoid direct contact with the material / product.

#### **General hygiene**

When using, do not eat, drink or smoke. Wash hands after handling.



# Pacojet Cleaning Tab

## 7.2. Conditions for safe storage, including any incompatibilities

Keep away from children. Store in a place accessible by authorized persons only.  
Keep away from food, drink and animal feeding stuffs.

Storage class according to TRGS 510: 8B (non-flammable, corrosive hazardous substances)

Suitable container and packaging materials for safe storage: store in original container.

Storage temperature: 10°C to 40°C

## 7.3. Specific end use(s)

See section 1.2: Cleaning tab

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure limits

Ingredient	CAS No. EC No.	Exposure limit ppm / mg/m <sup>3</sup>	Short-term exposure limit ppm / mg/m <sup>3</sup>	Source	Remark	Year
sodium hydroxide	1310-73-2 215-185-5	- -	- 2	-	15 minutes refer- ence period	-

#### DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
sodium hydroxide (1310-73-2/215-185-5)	DNEL	Chronic (long term) Inhalation	1 mg/m <sup>3</sup>	Workers	Local
sodium hydroxide (1310-73-2/215-185-5)	DNEL	Chronic (long term) Inhalation	1 mg/m <sup>3</sup>	Consumers	Local
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	10 mg/m <sup>3</sup>	Workers	Local
sodium carbonate (497-19-8/207-838-8)	DNEL	Chronic (long term) Inhalation	5 mg/m <sup>3</sup>	Consumers	Local
Silicic acid, sodium salt (1344-09-8/215-687-4)	DNEL	Chronic (long term) Inhalation	5.61 mg/m <sup>3</sup>	Workers	Systemic
Silicic acid, sodium salt (1344-09-8/215-687-4)	DNEL	Chronic (long term) Dermal	1.59 mg/kg bw/day	Workers	Systemic



# Pacojet Cleaning Tab

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
Silicic acid, sodium salt (1344-09-8/215-687-4)	DNEL	Chronic (long term) Oral	0.8 mg/kg bw/day	Consumers	Systemic
Silicic acid, sodium salt (1344-09-8/215-687-4)	DNEL	Chronic (long term) Inhalation	1.38 mg/m <sup>3</sup>	Consumers	Systemic
Silicic acid, sodium salt (1344-09-8/215-687-4)	DNEL	Chronic (long term) Dermal	0.8 mg/kg bw/day	Consumers	Systemic

## PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
Silicic acid, sodium salt (1344-09-8/215-687-4)	PNEC	Freshwater	7.5 mg/l
Silicic acid, sodium salt (1344-09-8/215-687-4)	PNEC	Marine water	1 mg/l
Silicic acid, sodium salt (1344-09-8/215-687-4)	PNEC	Intermittent releases	7.5 mg/l
Silicic acid, sodium salt (1344-09-8/215-687-4)	PNEC	Sewage Treatment Plant	348 mg/l

## 8.2. Exposure controls

### Appropriate engineering controls

No special technical protective measures required.

### Eye / face protection

Safety glasses with side-shields conforming to EN166

### Hand protection

Chemical-resistant protective gloves (EN 374)

### Other skin protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

### Respiratory protection

This type of personal protective equipment is not necessary under normal and foreseeable use of the product.

### Thermal hazards

Not applicable



# Pacojet Cleaning Tab

## Environmental exposure controls

No special environmental precautions required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Tablet

#### Colour

White

#### Odour

No information available.

#### Odour threshold

Not determined for the mixture.

#### Melting point / freezing point

Not applicable.

#### Boiling point or initial boiling point and boiling range

Not applicable.

#### Flammability

Not applicable.

#### Lower and upper explosion limit

The product / mixture has no explosive properties.

#### Flash point

No data available

#### Auto-ignition temperature

Not applicable.

#### Decomposition temperature

Not determined for the mixture.

#### pH

13

#### **Method**

1 % aqueous solution



# Pacojet Cleaning Tab

**Kinematic viscosity**

Not applicable.

**Viscosity, dynamic**

Not applicable.

**Solubility**

Water soluble

**Partition coefficient n-octanol/water**

Not determined for the mixture.

**Vapour pressure**

Not applicable.

**Density and/or relative density**

Not determined for the mixture.

**Relative density**

Not determined for the mixture.

**Relative vapour density**

Not applicable.

**Evaporation Rate**

Not applicable.

**Explosive properties**

The product / mixture has no explosive properties.

**Oxidising properties**

The product / mixture has no oxidizing properties.

**VOC %**

< 3 %

**Particle characteristics**

No information available.

## 9.2. Other information

This product / mixture does not contain any nanomaterials or nanoforms as defined in Regulation (EC) 1907/2006.



# Pacojet Cleaning Tab

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable at normal conditions.

### 10.2. Chemical stability

The product is chemically stable.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with strong acids.

### 10.4. Conditions to avoid

Protect from moisture. Protect from frost, heat and sunlight.

### 10.5. Incompatible materials

strong acids and oxidizing agents

### 10.6. Hazardous decomposition products

For information on combustion products, see Section 5.

Hazardous decomposition products formed under fire conditions.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data is available on the product itself. Toxicology data for the components :

#### Acute toxicity

Based on the available data, the classification criteria are not met.

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Remarks
sodium hydrox- ide 1310-73-2 / 215- 185-5	LD50	325 mg/kg bw	Oral	-	rat	ECHA
sodium carbon- ate 497-19-8 / 207- 838-8	LD50	2.800 mg/kg	Oral	-	rat	-
sodium carbon- ate	LD50	>2.000mg/kg	Dermal	-	rabbit	-



# Pacojet Cleaning Tab

Product / Sub- stance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure	Test animals	Remarks
497-19-8 / 207- 838-8						
sodium carbon- ate 497-19-8 / 207- 838-8	LC50	2.300 mg/m <sup>3</sup>	Inhalativ	2h	rat	-
Silicic acid, sodium salt 1344-09-8 / 215- 687-4	LD50	3400 mg/kg bw	Oral	-	rat	ECHA
Silicic acid, sodium salt 1344-09-8 / 215- 687-4	LC50	> 2.06 g/m <sup>3</sup>	Inhalation	-	rat	ECHA
Silicic acid, sodium salt 1344-09-8 / 215- 687-4	LD50	> 5000 mg/kg bw	Dermal	-	rat	ECHA

**Skin corrosion/irritation**

Causes severe skin burns.

**Serious eye damage/irritation**

Causes severe eye burns.

**Respiratory or skin sensitisation**

Based on the available data, the classification criteria are not met.

**Germ cell mutagenicity**

Based on the available data, the classification criteria are not met.

**Genotoxicity**

Based on the available data, the classification criteria are not met.

**Carcinogenicity**

Based on the available data, the classification criteria are not met.

**Reproductive toxicity**

Based on the available data, the classification criteria are not met.

**STOT-single exposure**

Based on the available data, the classification criteria are not met.



# Pacojet Cleaning Tab

## STOT-repeated exposure

Based on the available data, the classification criteria are not met.

## Aspiration hazard

Based on the available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Toxicity

No data is available on the product itself. Toxicology data for the components :

#### Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
sodium carbonate 497-19-8 / 207-838-8	LC50	300 mg/l	96h	Lepomis macrochirus

#### Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Remark
sodium hydroxide 1310-73-2 / 215-185-5	EC50	40,4 mg/l	48 h	Ceriodaphnia dubia	ECHA
sodium carbonate 497-19-8 / 207-838-8	EC50	200-227 mg/l	48h	Ceriodaphnia dubia	-

### 12.2. Persistence and degradability

#### Persistence and degradability

The surfactants contained in this mixture / product meet the requirements for biodegradability in accordance with Regulation (EC) No. 648/2004 on detergents.



# Pacojet Cleaning Tab

## 12.3. Bioaccumulative potential

### Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

### Mobility

No information available.

## 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are classified as PBT or vPvB according to Article 57 / Annex XIII of the REACH regulation.

## 12.6. Endocrine disrupting properties

The mixture / product does not contain any ingredients with endocrine disrupting properties in terms of regulations (EC) 1907/2006 and (EU) 2018/605 and the delegated regulation (EU) 2017/2100.

## 12.7. Other adverse effects

### Other adverse effects

Neutralization is normally necessary before waste water is discharged into water treatment plants. Neutralisation will reduce ecotoxic effects.

This product / mixture does not contain any substances within the meaning of Regulation (EC) No. 1005/2009 that deplete the ozone layer.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal considerations

Dispose of as hazardous waste in compliance with local and national regulations.

#### Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging / sheets: Dispose of as unused product.

Waste code	Waste description
20 01 29*	detergents containing hazardous substances

Please note - an asterisk (\*) next to a code denotes that it is HAZARDOUS WASTE.



# Pacojet Cleaning Tab

## SECTION 14: Transport information

### 14.1. UN number

1823

### 14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

SODIUM HYDROXIDE, SOLID

IMDG proper shipping name

SODIUM HYDROXIDE, SOLID

### 14.3. Transport hazard class(es)

Label

ADR/RID/ADN



8

ADR / RID Class

8

ADR / RID Classification code

C6

ADR / RID hazard identification number

80

IMDG Class

8

IATA Class

8

ADN Class

8

ADN Class Code

C6

### 14.4. Packing group

II



# Pacojet Cleaning Tab

## 14.5. Environmental hazards

### Environmental hazards

-

### IMDG Marine Pollutant

-

## 14.6. Special precautions for user

### Special precautions for user

In addition, comply with all national and local regulations for the handling of chemicals.

### IMDG EmS

F-A, S-B

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

## Other

### Additional information ADR-RID

Transport category (tunnel restriction code): 2 (E)

LQ: 1 kg

EQ: E2



# Pacojet Cleaning Tab

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 648/2004 (detergents)

Ingredients according to Annex VII: < 5 % polycarboxylates .

Regulation (EC) No. 1272/2008 (CLP)

Regulation (EC) No. 1907/2006 (REACH)

Substances subject to authorization according to Annex XIV: not applicable

Substance restrictions according to Annex XVII: not applicable

Substances on the REACH candidate list (SVHC): not applicable

Regulation (EU) No. 528/2012 (BPR)

Active ingredients: not applicable

Regulation (EU) 2019/1148 (explosives)

Restricted raw material according to Annex I: not applicable

Notifiable raw materials according to Annex II: not applicable

Directive 2011/65 / EU (ROHS 2)

Substance restrictions according to Annex II: not applicable

Regulation (EU) 2019/1021 (POP)

Persistent organic pollutants: not applicable

Directive 2012/18/EU (Seveso III)

Seveso hazard category: not applicable

#### National regulations

In addition, comply with all national and local regulations for the handling of chemicals.

#### Other regulations, limitations and legal regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2. Chemical safety assessment

The mixture has not been subjected to a safety assessment.



# Pacojet Cleaning Tab

## SECTION 16: Other information

### Changes to previous revision

Version : 3.0.

Adjustment of the product formulation (see section 3).

### Abbreviations

ADN - Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR - Accord relatif au transport international des marchandises Dangereuses par Route

CAS - Chemical Abstract Service

CLP - Classification, Labelling and Packaging

DMEL - Derived Minimum Effect Level

DNEL - Derived no effect level

EC50 - Half maximal effective concentration 50%

GHS - Globally Harmonised System

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Lethal concentration 50%

LD50 - Lethal dosis 50 %

MARPOL - International Convention for the Prevention of Pollution from Ships

PBT - Persistent, bioaccumulative and toxic substance

PEC - Predicted Environmental Concentration

PNEC - predicted no effect concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals

RID - Reglement concernant le transport international ferroviaire de marchandises Dangereuses

SVHC - Substance of very high concern

vPvB - Very persistent, very bioaccumulative substance

### References to key literature and data sources

REACH registration dossiers

ECHA C&L - Inventory

Safety data sheets from raw material suppliers

### Evaluation methods for classification

Classification for mixtures and used evaluation method according to Article 9 of regulation (EC)

1272/2008 [CLP]:

Health hazards: calculation method



# Pacojet Cleaning Tab

## **Phrase meaning**

Skin Corr. 1A - Skin corrosion, hazard category 1A

Eye Irrit. 2 - Eye irritation, hazard category 2

Skin Irrit. 2 - Skin irritation, hazard category 2

STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

## **Additional information**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

## **Manufacturer's notes**

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.